



Automobile Electronics

Innovative and Reliable power solutions designed to meet industrial, commercial, and home energy needs with efficiency and safety.



Innovation & Technology Industrial Park

China factory Inno Park



118,000m² Innovation & Technology Industrial Park

ProVista Inno Park will be the first international innovation and creative industry park in Songshan Lake, Dongguan.

About us

ProVista Group is a Hong Kong based electronic company with strong R&D, Engineering and Manufacturing capacity in electronic products including power and energy products, automotive electronics and security products since 1995.

Our Team
100+
Engineers

Focus On
30 yr +
Electronic Products

Footprint
118,000^{m²}
Tech Park

Our Bases
2
For manufacturing & R&D

Philippines base

Southeast Asia Hub



● Two-site model ● Localized support ● Export flexibility

Global Manufacturing

Your One-Stop Solution Provider

Full Process

End-to-End
OEM/ODM Solution

Dual Sites

Resilient supply,
ready for change

R&D

High quality,
quickresponse

Production & QC

Automated
Production Lines

Logistics

Resilient
logistics for
global shifts

From concept to delivery, we offer a fully integrated, end-to-end solution. With dual operations in Asia — including a flexible, high-efficiency base in the Philippines — we combine design, R&D, manufacturing, quality control, and logistics under one roof. As your one-stop global manufacturing partner, we streamline every step to bring your ideas to market, faster and smarter.

Automobile Electronics

- SMART BATTERY CHARGERS



Page 5 - 08

INFB Series

4A / 8A with Wireless Connection & Apps
Smart Battery Chargers



Page 9 - 17

HEX Series

4A / 8A / 16A / 24A / 32A Premium & Standard Version
Smart Battery Chargers



Page 18 - 20

PSL Series

1A / 4A / 6A / 8A Slim compact
Smart Battery Chargers



Page 21 - 23

PSD Series

4A / 8A / 16A / 22A Professional
Smart Battery Chargers



Page 24 - 26

DFC Series

1A / 3.5A / 6A DC Battery Chargers



Page 27 - 28

Cable Accessories & Connectors

For Smart Battery Chargers

Automobile Electronics

- Back up Camera & Monitor Display

Page 29 - 31

ADL Series

Long distance IP67 back up camera
with 5 inch / 7 inch monitor display



Page 32 - 34

ADS Series

License plate mounted back up camera
with 4.3 inch / 7 inch monitor display



Page 35 - 37

ADM 050

License plate mounted back up camera
with 4.3 inch / 7 inch monitor display



Page 38 - 40

Wireless Solar Back up Camera system

Wireless back up camera
with built-in solar panels & 4.3 inch / 5 inch monitor display





INFINITY

Series

Smart Battery Chargers with Wireless Connection

INFINITY Smart Battery Charger

The combination of the Wireless Connection & APP technology and the unique design, INF Smart Battery Charger Series makes maintaining your vehicle battery life more easily and efficiently.



Main Features

- ◇ LED indicators: Charging / System Status
- ◇ Wireless connection module connection with Apps
- ◇ IP65 waterproof / IP20waterproof
- ◇ System Protections: Reverse Polarity / Short Circuit / Overheating / Overload / Over-temperature / Spark

INFB001 **Ready On 2026**

6V / 12V 1A INFINITY Series

Smart Battery Charger with Wireless connection & Apps

Specifications:

- ◇ 6V / 12V 1Amp 3 stages charging
- ◇ Charging current: 6V: 1A, 12V: 1A
- ◇ IP20 waterproof
- ◇ Product dimensions(mm):103 x 61 x 41



PATENT PENDING

Innovation Design & Technology

INFB004

6V / 12V 4A INFINITY Series

Smart Battery Charger with Wireless connection & Apps

Specifications:

- ◇ 6V / 12V 4Amp 8 stages charging
- ◇ Charging current: 6V: 4A, 12V: 4A
- ◇ IP65 waterproof
- ◇ Product dimensions(mm):162 x 80 x 48.5



PATENT PENDING

Innovation Design & Technology



INFB008

12V 2A / 8A INFINITY Series

Smart Battery Charger with Wireless connection & Apps

Specifications:

- ◇ 12V 2A / 8Amp 8 stages charging
- ◇ Charging current: 12V: 4A, 12V: 8A
- ◇ IP65 waterproof
- ◇ Product dimensions(mm): 195 x 95 x 54



PATENT PENDING

Innovation Design & Technology



INFB016 Ready On 2026

6V / 12V 4A INFINITY Series

Smart Battery Charger with Wireless connection & Apps

Specifications:

- ◇ 6V / 12V 16Amp 8 stages charging
- ◇ Charging current: 12V: 4A / 8A / 16A, 24V: 4A / 8A
- ◇ IP20 waterproof
- ◇ Product dimensions(mm): 271 x 151 x 90



PATENT PENDING

Innovation Design & Technology



INFB024 Ready On 2026

12V 2A / 8A INFINITY Series

Smart Battery Charger with Wireless connection & Apps

Specifications:

- ◇ 12V / 24V 24Amp 8 stages charging
- ◇ Charging current: 12V: 4A / 8A / 16A, 24V: 4A / 8A
- ◇ IP20 waterproof
- ◇ Product dimensions(mm): 271 x 151 x 90



PATENT PENDING

Innovation Design & Technology



HEX

SMART BATTERY CHARGER SERIES



24A
Standard

16A
Standard

4A
Standard

8A
Standard

Standard Version

Quality Design made for QUALITY



HEX Smart Battery Charger Series

The combination of the advanced charging technology and the new light bar indicator system, HEX Smart Battery Charger Series makes maintaining your vehicle battery life more easily and efficiently.

HEX Premium Version

SMART BATTERY CHARGER SERIES

Main Features

- ◇ LCD display with backlighting
- ◇ Colored LCD status indicator
- ◇ Build in battery tester with voltage display
- ◇ Desulfating function
- ◇ Reverse Polarity / Short Circuit / Overheating /Overload / Over-temperature / Spark Protections
- ◇ Hinged metal hanger
- ◇ Battery type: AGM / Deep Cycle / Regular /GEL / LiFePO4 / Lithium

Battery Tester

- Battery Check
- Starting Power
- Alternator Check

System Protection

- Over Current / Over load / Over Heat Protection
- Reverse Polarity Protection
- Battery Fault Detection
- Charging Fault Detection
- Spark Protection

Precise Detail Indication

- Battery Level Indicator
- Current / Wattage / Voltage / %

Mode Selection

- Battery Type Selection
- Cold Weather Mode
- Charge Current Mode
- Power Supply Mode (8A / 16A / 24A Model Only)
- Recon Mode

Dual Buttons Control

- Mode & Function Selection



HXP004

Premium Version

4A HEX Smart Battery Charger

Specifications:

- ◇ 6V / 12V, 4 Amp 9 Stages Charging
- ◇ Charging current: 6V: 1A/4A , 12V: 1A/4A
- ◇ IP65 waterproof
- ◇ Product dimensions (mm): 185 x 91 x 58

COLOR
BACKLIGHT
Indicator

ROBUST
Construction

IP65
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXP008

Premium Version

8A HEX Smart Battery Charger

Specifications:

- ◇ 12V / 24V, 8Amp 9 stages charging
- ◇ Charging current: 12V: 2A / 4A / 8A, 24V: 2A / 4A
- ◇ DC Power Supply: 13.8V 5A
- ◇ Support 24V charging
- ◇ IP65 waterproof
- ◇ Product dimensions (mm): 223 x 112 x 67

COLOR
BACKLIGHT
Indicator

ROBUST
Construction

IP65
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXP016

Premium Version

16A HEX Smart Battery Charger

Specifications:

- ◇ 12V / 24V, 16Amp 9 stages charging
- ◇ Charging current: 12V: 4A / 8A / 16A , 24V: 4A / 8A
- ◇ DC Power Supply: 13.8V 12A
- ◇ Support 24V charging
- ◇ IP20 waterproof
- ◇ Product dimensions (mm): 298 x 152 x 87

COLOR
BACKLIGHT
Indicator

ROBUST
Construction

IP20
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXP024

Premium Version

24A HEX Smart Battery Charger

Specifications:

- ◇ 12V / 24V 24Amp 9 stages charging
- ◇ Charging current: 12V: 6A / 12A / 24A , 24V: 6A / 12A
- ◇ DC Power Supply: 13.8V 20A
- ◇ Support 24V charging
- ◇ IP20 waterproof
- ◇ Product dimensions (mm): 298 x 152 x 87

COLOR
BACKLIGHT
Indicator

ROBUST
Construction

IP20
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXP032

Premium Version

32A HEX Smart Battery Charger

Specifications:

- ◇ 12V 32Amp 9 stages charging
- ◇ Charging current: 12V: 8A / 16A / 32A
- ◇ DC Power Supply: 13.8V 20A
- ◇ Support 24V charging
- ◇ IP20 waterproof
- ◇ Product dimensions (mm): 298 x 152 x 87

COLOR
BACKLIGHT
Indicator

ROBUST
Construction

IP20
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXP050

Premium Version / Ready On 2026

50A HEX Smart Battery Charger

Specifications:

- ◇
- ◇
- ◇
- ◇
- ◇
- ◇

COLOR
BACKLIGHT
Indicator

ROBUST
Construction

IP20
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HEX Smart Battery Charger Series

The combination of the advanced charging technology and the unique design, HEX Smart Battery Charger Series makes maintaining your vehicle battery life more easily and efficiently.

HEX Standard Version

SMART BATTERY CHARGER SERIES

Main Features

- ◇ LCD display with backlighting
- ◇ LED status indicator
- ◇ Build in battery tester with voltage display
- ◇ Desulfating function
- ◇ Reverse Polarity / Short Circuit / Overheating / Overload / Over-temperature / Spark Protections
- ◇ Hinged metal hanger
- ◇ Battery type: AGM / Deep Cycle / Regular / GEL / LiFePO4 / Lithium

Battery Tester

- Battery Check
- Starting Power
- Alternator Check

System Protection

- Over Current / Over load / Over Heat Protection
- Reverse Polarity Protection
- Battery Fault Detection
- Charging Fault Detection
- Spark Protection

Precise Detail Indication


- Battery Level Indicator
- Current / Wattage / Voltage / %

Mode Selection

- Battery Type Selection
- Cold Weather Mode
- Charge Current Mode
- Power Supply Mode (8A / 16A / 24A Model Only)
- Recon Mode

Dual Buttons Control

- Mode & Function Selection



HXS004

Standard Version

4A HEX Smart Battery Charger

Specifications:

- ◇ 6V / 12V, 4 Amp 9 Stages Charging
- ◇ Charging current: 6V: 1A/4A , 12V: 1A/4A
- ◇ IP65 waterproof
- ◇ Product dimensions (mm): 185 x 91 x 58

ROBUST
Construction

IP65
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXS008

Standard Version

8A HEX Smart Battery Charger

Specifications:

- ◇ 12V, 8Amp 9 stages charging
- ◇ Charging current: 12V: 2A/4A/8A
- ◇ DC Power Supply: 13.8V 5A
- ◇ IP65 waterproof
- ◇ Product dimensions (mm): 223 x 112 x 67

ROBUST
Construction

IP65
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXS016

Standard Version

16A HEX Smart Battery Charger

Specifications:

- ◇ 12V 16Amp 9 stages charging
- ◇ Charging current: 12V: 4A/8A/16A
- ◇ DC Power Supply: 13.8V 12A
- ◇ LED Status indicator
- ◇ IP20 waterproof
- ◇ Product dimensions (mm): 298 x 152 x 87

ROBUST
Construction

IP20
Waterproof

PATENTED DESIGN
Innovation Design & Technology



HXS024

Standard Version

24A HEX Smart Battery Charger

Specifications:

- ◇ 12V 24Amp 9 stages charging
- ◇ Charging current: 12V: 6A/12A/24A
- ◇ DC Power Supply: 13.8V 20A
- ◇ LED Status indicator
- ◇ IP20 waterproof
- ◇ Product dimensions (mm): 298 x 152 x 87

ROBUST
Construction

IP20
Waterproof

PATENTED DESIGN
Innovation Design & Technology





HEX

SMART BATTERY CHARGER SERIES

Product Name	HEX 4A Smart Battery Charger		HEX 8A Smart Battery Charger		HEX 16A Smart Battery Charger		HEX 24A Smart Battery Charger		HEX 32A Smart Battery Charger	HEX 50A Smart Battery Charger	
Version	Premium	Standard	Premium	Standard	Premium	Standard	Premium	Standard	Premium	Premium	
Model No.	HXP004	HXS004	HXP008	HXS008	HXP016	HXS016	HXP024	HXS024	HXP032	HXP050	
Battery Type	6V/12V: Lead Acid, AGM, EFB, STD, Lithium		12V/24V: Lead Acid, AGM, EFB, STD, Lithium	12V: Lead Acid, AGM, EFB, STD, Lithium	12V/24V: Lead Acid, AGM, EFB, STD, Lithium	12V: Lead Acid, AGM, EFB, STD, Lithium	12V/24V: Lead Acid, AGM, EFB, STD, Lithium	12V: Lead Acid, AGM, EFB, STD, Lithium	12V: Lead Acid, AGM, EFB, STD, Lithium		
Voltage (V)	6V / 12V		12V / 24V	12V	12V / 24V	12V	12V / 24V	12V	12V		
Charge Capacity (A/H)	5 - 120 Ah for Lead Acid, AGM, EFB, STD batteries		10 - 250 Ah for Lead Acid, AGM, EFB, STD batteries		20 - 350 Ah for Lead Acid, AGM, EFB, STD batteries		45 - 500 Ah for Lead Acid, AGM, EFB, STD batteries				
	Lithium 12.8V LiFePO4 batteries (8-50 Ah)		Lithium 12.8V LiFePO4 batteries (10-120 Ah)		Lithium 12.8V LiFePO4 batteries (20-200 Ah)		Lithium 12.8V LiFePO4 batteries (30-250 Ah)				
Charging Current	6V: 1A / 4A 12V: 1A / 4A		12V: 2A / 4A / 8A 24V: 2A / 4A	12V: 2A / 4A / 8A	12V: 4A / 8A / 16A 24V: 4A / 8A	12V: 4A / 8A / 16A	12V: 6A / 12A / 24A 24V: 6A / 12A	12V: 6A / 12A / 24A	12V: 8A / 16A / 32A		
Desulfation Function	YES										
Charging Stage	9 Stages Smart Charging										
Charging Status Display	6 bars of Hexagon Display indicator (Premium Version Only) 1st bar [0%: 12.0-12.7V];2nd bar [20%: 12.7-13.2V];3rd bar [40%: 13.2-13.7V];4th bar [60%: 13.7V-Absorption Charge starts]; 5th fifth bar [80%: Absorption Charge];6th bar FLASHING [100%, Absorption, Charge with Constant Voltage] 6th bar ON [100%, Float Charge]										
Memory	Charge Memory Function in case of Power Failure										
IP Rating	IP65				IP20						
Protections	Reverse Polarity, Short Circuit, Overheating, Overload, Over-temperature, Spark Protections										
Accessories	Clamps and O-ring cables				Clamps						
Built-in Metal Hanger	YES										
Product Status Indicator	Light Bar Indicator & LCD display	LED Indicators (STATUS / FAULT) & LCD display	Light Bar Indicator & LCD display	LED Indicators (STATUS / FAULT) & LCD display	Light Bar Indicator & LCD display	LED Indicators (STATUS / FAULT) & LCD display	Light Bar Indicator & LCD display	LED Indicators (STATUS / FAULT) & LCD display	Light Bar Indicator & LCD display		
Battery Tester	YES										
DC Power Supply	N/A		13.8V 5A		13.8V 12A		13.8V 20A				
Lithium battery activation function	YES										
Error indication	Er1: Reverse polarity Er2: Bad battery Er3: Low voltage at Precharge stage Er4: Low voltage at Analysis stage (under 4V in 5 minutes) Er5: Desulphation error Er7: Bulk & Absorption charging time exceed (over 36 hours)				Er1: Reverse polarity Er2: Bad battery Er3: Low voltage at Precharge stage Er4: Low voltage at Analysis stage (under 4V in 5 minutes) Er5: Desulphation error Er6: The load current on Supply Mode would be too high Er7: Bulk & Absorption charging time exceed (over 36 hours)						

PSL Series

Slim Compact Smart Battery Charger



Slim Compact Smart Battery Charger

Slim Compact Smart Charger for battery maintenance, ideal for connecting to infrequently used vehicles including classic cars, second cars, motorcycles, lawnmowers, and more. The compact design makes it easy to store, and the simple interface makes it easy to use for charging outdoors.

PSL Series



IP65

Waterproof

PATENTED DESIGN

Innovation Design & Technology

Main Features

- ◇ Fast, powerful charging
- ◇ Slim design, easy for storage and portability
- ◇ Touch control
- ◇ Suitable battery type: Lead Acid / Calcium / EFB / AGM
- ◇ Repairs and protects to improve battery health
- ◇ Includes maintenance mode, ideal for long term connection.
- ◇ Over heating / Short circuit / Reverse polarity / Short circuit / Spark proof protections
- ◇ Certificate: CE, RoHS, IEC, IP65

Package Includes:

- ◇ 1 x Main Car Battery Charger
- ◇ 1 x Clamp Cable
- ◇ 1 x O-Ring Cable
- ◇ 1 x Manual

PSL001

6V/12V 1A Slim Compact Smart Battery Charger

Specifications:

- ◇ Suitable for 6V / 12V Vehicles
- ◇ Touch control for manual / automatic voltage selection
- ◇ IP65 waterproof
- ◇ Product Dimensions (mm): 127.8 x 79.8 x 28
- ◇ Product Weight: 0.442 kg



PSL004

12V 4A Slim Compact Smart Battery Charger

Specifications:

- ◇ Suitable for 12V Vehicles
- ◇ Touch control for manual / automatic selection: slow 1A or fast 4A charging
- ◇ IP65 waterproof
- ◇ Product Dimensions (mm): 127.8 x 79.8 x 28
- ◇ Product Weight: 0.506 kg



PSL006

12V 6A Slim Compact Smart Battery Charger

Specifications:

- ◇ Suitable for 12V Vehicles
- ◇ 8 Stages Charging
- ◇ Touch control for slow / fast / winter / start/stop / winter charging selection
- ◇ Manual or Automatic voltage selection
- ◇ IP65 waterproof
- ◇ Product Dimensions (mm): 166.2 x 103.9 x 41.6
- ◇ Product Weight: 0.744 kg



PSL010

12V 10A Slim Compact Smart Battery Charger

Specifications:

- ◇ Suitable for 12V Vehicles
- ◇ 8 Stages Charging:
- ◇ Touch control for slow / fast / winter / start/stop / winter charging selection
- ◇ Manual or Automatic voltage selection
- ◇ Suitable battery type: Lead Acid / Calcium / EFB / AGM / Lithium
- ◇ IP20 waterproof
- ◇ Product Dimensions (mm): 166.2 x 103.9 x 41.6
- ◇ Product Weight: 0.744 kg



PSD Series

Professional Smart Battery Charger




Professional Smart Battery Charger


The LCD display makes the series became much more user-friendly to end-user. The built-in battery tester can indicate the battery voltage and battery capacity. People can monitor the charging status via the LCD display, simple and easy.

PSD Series

4 Stages Charging (PSD004)



9 Stages Charging (PSD008 / PSD016 / PSD022)



PSD004

4 Amp Professional DC Smart Charger

Specifications:

- ◇ 6V / 12V, 4 Amp DC Smart Charger
- ◇ Fast / Slow / Winter Mode selection
- ◇ Backlight LCD Display
- ◇ Built-in Battery Tester with Voltage display
- ◇ Protection: Short circuit / reverse / spark proof
- ◇ Product Dimensions (mm): 193 x 64.7 x 48.2
- ◇ 4 Stages charging
- ◇ 2m output cable clamps
- ◇ Battery Type: AGM / STD
- ◇ Optional Metal Hanger
- ◇ Waterproof Rating: IP65



PSD008

8 Amp Professional DC Smart Charger

Specifications:

- ◇ 12V, 8 Amp DC Smart Charging
- ◇ Backlight LCD Display
- ◇ Desulfating function
- ◇ Built-in Battery Tester with Voltage display
- ◇ Protection: Short circuit / reverse / spark proof
- ◇ Product Dimensions (mm): 211.6 x 91.5 x 59.5
- ◇ 9 stages charging
- ◇ 2m output cable clamps
- ◇ Battery Type: AGM / STD
- ◇ Retractable Metal Hanger
- ◇ Waterproof Rating: IP65



PSD016

16 Amp Professional DC Smart Charger

Specifications:

- ◇ 12V / 16A, 24V / 8A, 16 Amp DC Smart Charger
- ◇ Desulfating / Recondition function
- ◇ Built-in Battery Tester with Voltage display
- ◇ Protection: Short circuit / reverse / spark proof
- ◇ Battery Type: AGM / STD / Lithium
- ◇ Product Dimensions (mm): 271.6 x 125 x 74.5
- ◇ 9 Stages charging
- ◇ Backlight LCD Display
- ◇ Retractable Metal Hanger
- ◇ Waterproof Rating: IP20



PSD022

22 Amp Professional DC Smart Charger

Specifications:

- ◇ 12V / 22A, 24V / 11A, 22 Amp DC Smart Charger
- ◇ Desulfating / Recondition function
- ◇ Built-in Battery Tester with Voltage display
- ◇ Protection: Short circuit / reverse / spark proof
- ◇ Battery Type: AGM / STD / Lithium
- ◇ Product Dimensions (mm): 271.6 x 125 x 74.5
- ◇ 9 Stages charging
- ◇ Backlight LCD Display
- ◇ Retractable Metal Hanger
- ◇ Waterproof Rating: IP20



DFC Series

DC Smart Battery Charger



DC Smart Battery Charger


DFC Series is a smart battery charger series with Microprocessor Control with multi stages charging characteristics. It is one of the most popular battery charger in the market as it has the advantages of being high efficient with little energy lost, high quality and durable compact design.

DFC Series

Competitive Advantages with our advanced technology:

- ◆ **Better Efficiency:** 2-3 times faster than traditional charger as the current flow is more efficient and the voltage is well controlled.
- ◆ **Less Energy Lost:** Digitally controlled by MCU for exact current and voltage.
- ◆ **Product Less Heat:** The generated ripple is negligible, small and cooled down by natural convection.
- ◆ **Spark Free:** Never use battery chargers that emit sparks.
- ◆ **Compact Size:** Half size of Linear Charger.
- ◆ **Cost Effective:** Highly efficient on charging and keep the longest possible life to battery.

4 Stages Charging



Automatic and High Frequency 4-Stage Charging Curve
■ For all smart charger, apply on Gel and normal battery

DFC150

1 Amp DC Smart Battery Charger

Specifications:

- ◆ 6V/ 12V
- ◆ Battery Type: Regular / GEL
- ◆ Waterproof Rating: IP65
- ◆ LED Display: Reverse Polarity Warning / Battery Fault / Power ON / Charging / Maintenance / FULL
- ◆ Protection: Spark Proof / Short Circuit / Voltage Compensation / Overheat / Reverse Polarity
- ◆ Product Dimensions (mm): 130 x 54 x 33.5



DFC530

3.5 Amp DC Smart Battery Charger

Specifications:

- ◇ 6V/ 12V
- ◇ Battery Type: Regular / GEL
- ◇ Waterproof Rating: IP65
- ◇ LED Display: Reverse Polarity Warning / Battery Fault /
- ◇ Power ON / Charging / Maintenance / FULL
- ◇ Protection: Spark Proof / Short Circuit / Voltage Compensation /
- ◇ Overheat / Reverse Polarity
- ◇ Product Dimensions (mm): 162.7 x 74 x 43



DFC530

6 Amp DC Smart Battery Charger

Specifications:

- ◇ 12V, 6 Amp DC Fast Charging
- ◇ 12V, 2 Amp DC Slow Charging / Deep Cycle
- ◇ Battery Type: GEL
- ◇ Waterproof Rating: IP20
- ◇ LED Display: Reverse Polarity Warning / Battery Fault / Power ON /
- ◇ Charging / Maintenance / FULL
- ◇ Protection: Spark Proof / Short Circuit / Voltage Compensation /
- ◇ Overheat / Reverse Polarity
- ◇ Product Dimensions (mm): 211 x 88 x 49




Cable Accessories & Connectors

for Smart Battery Chargers




Standard Cable

- ◇ Directly connected to the Car Battery Charger Unit
- ◇ Equipped with Standard Clamps or Heavy Duty Clamps
- ◇ depends on the Amps / Voltage of the battery charger




SAE Connector Cable

- ◇ SAE Connectors with Cap
- ◇ Better cable management and storage
- ◇ Provide more connection options for users in one product
- ◇ Can be connected to Standard / Heavy Duty Battery Clamps
- ◇ or O-ring Connector



SAE Connector Cable

- ◇ Extra Protection for the users as well as your car battery charger
- ◇ SAE Connectors with Cap
- ◇ Better cable management and storage
- ◇ Provide more connection options for users in one product
- ◇ Can be connected to Standard / Heavy Duty Battery Clamps or O-ring Connector



ADL Series

Long distance wireless camera system

ADL series is a long-distance wireless camera system with easy DIY.

Wire the IP67 waterproof camera to the rear light power cable, connect the monitor to the cigarette plug, and it is done. It is a perfect solution for trucks, RVs, etc. to reduce blind spots and park safely.



IP67 Waterproof Robust Metal Camera

for ADL050 & ADL070



Main Features

- ◆ Excellent low light and bright light environment performance
- ◆ Video transmission of resolution in 720p
- ◆ Transmission distance: > 300m
- ◆ Good for Caravan / 40' container / Truck application

IP67
Waterproof

ROBUST
Construction



Backup Camera with Monitor Display


IP67 Waterproof Metal Cameras

ADL070

4 Channels Backup Camera with 7inch Color LCD Monitor Display

Specifications:

- ◇ 7" color high resolution LCD monitor 1024 x 600
- ◇ Removable sun visor (7" monitor ONLY)
- ◇ SD card recording for up to 4 cameras with playback capability.
- ◇ System supports up to 4 cameras with single, split, H or quad display.
- ◇ Easy detachable suction cup monitor mount.




ADL050

4 Channels Backup Camera with 7inch Color LCD Monitor Display

Specifications:

- ◇ 5" color high resolution LCD monitor 854 x 480
- ◇ SD card recording for up to 4 cameras with playback capability.
- ◇ System supports up to 4 cameras with single, split, H or quad display.
- ◇ Easy detachable suction cup monitor mount.



ADS Series

Back Up Camera & Monitor Display



Back Up Camera & Monitor Display

Provides a new level of safety and assurance to drivers and pedestrians

ADS Series

Main Features

- ◇ Image rotation / mirroring
- ◇ On-screen parking guidelines
- ◇ 12V /24V Auto Detect
- ◇ Auto / manual shut off
- ◇ IP65 Waterproof Camera
- ◇ Adjustable camera tilt angle
- ◇ 105° field of view
- ◇ 1/4" CMOS sensor
- ◇ Image Quality: 30 (max) fps @ CIF 640 x 480
- ◇ Video transmission resolution: VGA
- ◇ Infra red for night vision
- ◇ Quick and easy installation

Easy installation



ADS043-N

Digital Backup Camera with 4.3inch Color LCD Monitor Display

Specifications:

- ◇ 4.3" color monitor
- ◇ LCD resolution: 480 x 272
- ◇ Transmission distance: > 100m
- ◇ Good for Family Car/ Caravan application

IP65
Waterproof

 Interference Free
Wireless Connection



ADS0070

Digital Backup Camera with 7inch Color LCD Monitor Display

Specifications:

- ◇ 7" color monitor support 2 cameras
- ◇ LCD resolution: 800 x 480
- ◇ Transmission distance: > 100m
- ◇ Good for Family Car/ Caravan/ 20' container application

IP65
Waterproof

 Interference Free
Wireless Connection



ADM₀₅₀

Back Up Camera & Monitor Display



Back Up Camera & Monitor Display

ADM series is a middle-range wireless camera system with easy DIY. Wire the IP65 waterproof camera to the rear light power cable, connect the monitor to the cigarette plug, and it is done. It is a perfect solution for small consumer vehicles to reduce blind spots and park safely.

ADM050

Main Features

- ◇ Image rotation / mirroring
- ◇ On-screen parking guidelines
- ◇ 12V /24V Auto Detect
- ◇ Auto / manual shut off
- ◇ IP65 Waterproof Camera
- ◇ Adjustable camera tilt angle
- ◇ 105° field of view
- ◇ 1/2.9" CMOS sensor
- ◇ Image Quality: 30 (max) fps @ CIF 320 x 240
- ◇ Video transmission resolution: 640 x 480
- ◇ Infra red for night vision
- ◇ Quick and easy installation

Easy Installation



ADM050

Digital Backup Camera with 5inch Color LCD Monitor Display

Specifications:

- ◇ 5" color monitor support 2 cameras
- ◇ LCD resolution: 854 X 480
- ◇ Transmission distance: > 150m
- ◇ Good for Family Car/ Caravan/ 20' container application
- ◇ AI Image Recognition Function (Optional)

IP65
Waterproof

 Interference Free
Wireless Connection

 **IMAGE**
RECOGNITION



ADM050A

Digital Backup Camera with 5inch Color LCD Monitor Display

Specifications:

- ◇ 5" color monitor support 2 cameras
- ◇ LCD resolution: 854 X 480
- ◇ Transmission distance: > 150m
- ◇ Good for Family Car/ Caravan/ 20' container application
- ◇ AI Image Recognition Function (Optional)

IP65
Waterproof

 Interference Free
Wireless Connection

 **IMAGE**
RECOGNITION



Wireless Solar Back Up Camera Series



Back Up Camera & Monitor Display with Wireless Solar Camera

ADS043 /ADM050-SP

Main Features

- ◇ Adjustable camera tilt angle
- ◇ 105° field of view
- ◇ 1/2.9" CMOS sensor
- ◇ Video transmission resolution: 640 x 480
- ◇ Dual modular solar panels
- ◇ Built-in rechargeable battery with USB charging port
- ◇ Quick and easy installation

Easy installation
No hard-wiring required



ADS043-SP

4.3inch Color LCD Monitor Display with Solar Back Up Camera

Specifications:

- ◇ 4.3" color monitor with capacitive touch bar
- ◇ LCD resolution: 480 x 272
- ◇ Image rotation / mirroring
- ◇ On-screen parking guidelines
- ◇ Auto / manual shut off
- ◇ Transmission distance: > 100m
- ◇ Good for Family Car / SUV / Pick Up Truck application



Solar Charging



Interference Free
Wireless Connection



ADM050-SP

5inch Color LCD Monitor Display with Solar Back Up Camera

Specifications:


- ◇ 5" color monitor support 2 cameras
- ◇ LCD resolution: 854 X 480
- ◇ Image rotation / mirroring
- ◇ On-screen parking guidelines
- ◇ Auto / manual shut off
- ◇ Transmission distance: > 150m
- ◇ Good for Family Car/ Caravan/ 20' container application
- ◇ AI Image Recognition Function (Optional)



Solar Charging



Interference Free
Wireless Connection



Complete Power Solution.

www.provistahk.com

